

MATERIAL SAFETY 3M  
 DATA SHEET 3M Center  
 St. Paul, Minnesota  
 55144-1000  
 1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 2001, Minnesota Mining and Manufacturing Company.  
 All rights reserved. Copying and/or downloading of this  
 information for the purpose of properly utilizing 3M products  
 is allowed provided that:

- 1) the information is copied in full with no changes unless  
 prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise  
 distributed with the intention of earning a profit thereon.

DIVISION: MARINE TRADES PROJECT  
 TRADE NAME:

3M Marine One Step Clean and Shine Wax 09033,09033F,09033I;3M Marine  
 Clean and Shine Wax 09033;3M OEM Final Finish Cleaner and Wax 09049  
 ID NUMBER/U.P.C.:

60-9800-2576-5	00-51131-09033-0	60-9800-3097-1	00-51131-09033-0
60-9800-3098-9	00-51131-09033-0	60-9800-3245-6	00-51131-09033-0
60-9800-3266-2	00-51131-46807-8	60-9800-3774-5	00-51131-09049-1
60-9800-4368-5	00-51131-16905-0	XS-0414-1188-4	- - -

ISSUED: February 13, 2001  
 SUPERSEDES: February 24, 2000  
 DOCUMENT: 07-3304-8

1. INGREDIENT	C.A.S. NO.	PERCENT	
WATER.....	7732-18-5	95.0	- 100.0
WAX EMULSIONS.....	Mixture	1.0	- 5.0

The components of this product are in compliance with the chemical  
 notification requirements of TSCA. All applicable chemical  
 ingredients in this material are listed on the European Inventory of  
 Existing Chemical Substances (EINECS), or are exempt polymers whose  
 monomers are listed on EINECS.

2. PHYSICAL DATA

BOILING POINT:..... 200 F  
 VAPOR PRESSURE:..... < 1 mmHg  
 @ 68 F.  
 VAPOR DENSITY:..... N/D  
 EVAPORATION RATE:..... N/D  
 SOLUBILITY IN WATER:..... complete  
 SPECIFIC GRAVITY:..... 1.0 - 1.1 Water=1  
 PERCENT VOLATILE:..... 90 - 100 %  
 pH:..... 8.8  
 VISCOSITY:..... 1 - 50 centipoise  
 MELTING POINT:..... N/A

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

-----  
2. PHYSICAL DATA (continued)  
-----

APPEARANCE AND ODOR:

Liquid, clear, little odor

-----  
3. FIRE AND EXPLOSION HAZARD DATA  
-----

FLASH POINT:..... > 185 F

FLAMMABLE LIMITS - LEL:..... N/D

FLAMMABLE LIMITS - UEL:..... N/D

AUTOIGNITION TEMPERATURE:..... N/D

EXTINGUISHING MEDIA:

Water, Carbon dioxide, Dry chemical, Foam

SPECIAL FIRE FIGHTING PROCEDURES:

Wear full protective clothing, including helmet, self-contained,  
positive pressure or pressure demand breathing apparatus, bunker coat  
and pants, bands around arms, waist and legs, face mask, and  
protective covering for exposed areas of the head.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

None known.

NFPA HAZARD CODES: HEALTH: 1 FIRE: 1 REACTIVITY: 0

UNUSUAL REACTION HAZARD: none

-----  
4. REACTIVITY DATA  
-----

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:

Not applicable.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon Monoxide and Carbon Dioxide.

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

-----  
5. ENVIRONMENTAL INFORMATION  
-----

SPILL RESPONSE:

Observe precautions from other sections. Ventilate area. Contain spill. Cover with inorganic absorbent material. Collect spilled material. Clean up residue with water. Place in a closed container.

RECOMMENDED DISPOSAL:

Slowly discharge spent solutions and small quantities (less than 5 gal.(19 L)) to a wastewater treatment system. Reduce discharge rate if foaming occurs. Large quantities may adversely affect biological wastewater treatment systems. For larger quantities: Incinerate in an industrial or commercial facility in the presence of a combustible material.

ENVIRONMENTAL DATA:

Not determined.

REGULATORY INFORMATION:

Volatile Organic Compounds: 1.6 % by wt.  
Volatile Organic Compounds: 0.13 lb/gal calculated.  
Volatile Organic Compounds: 16 gms/liter calculated per SCAQMD rule 443.1.  
VOC Less H2O & Exempt Solvents: N/D.

Since regulations vary, consult applicable regulations or authorities before disposal. U.S. EPA Hazardous Waste Number = None (Not U.S. EPA Hazardous).

EPCRA HAZARD CLASS:

FIRE HAZARD: Yes PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: No

-----  
6. SUGGESTED FIRST AID  
-----

EYE CONTACT:

Immediately flush eyes with large amounts of water. Get immediate medical attention.

SKIN CONTACT:

Flush skin with large amounts of water. If irritation persists, get medical attention.

INHALATION:

If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician.

IF SWALLOWED:

Do not induce vomiting. Drink two glasses of water. Call a physician.

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

-----  
7. PRECAUTIONARY INFORMATION  
-----

EYE PROTECTION:

Avoid eye contact.

SKIN PROTECTION:

Avoid prolonged or repeated skin contact.

RECOMMENDED VENTILATION:

Not applicable.

RESPIRATORY PROTECTION:

Avoid prolonged breathing of spray or mists.

PREVENTION OF ACCIDENTAL INGESTION:

Do not ingest.

RECOMMENDED STORAGE:

Store at temperatures above 32 degrees F (0 degrees C). Keep  
container closed when not in use. Keep out of the reach of children.

FIRE AND EXPLOSION AVOIDANCE:

Keep container tightly closed.

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
WATER.....	NONE	NONE	NONE	NONE	
WAX EMULSIONS.....	NONE	NONE	NONE	NONE	

\* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- NONE: None Established

-----  
8. HEALTH HAZARD DATA  
-----

EYE CONTACT:

Mild Eye Irritation: signs/symptoms can include redness, swelling,  
pain, and tearing.

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

-----  
8. HEALTH HAZARD DATA (continued)  
-----

SKIN CONTACT:

Mild Skin Irritation (after prolonged or repeated contact):  
signs/symptoms can include redness, swelling, and itching.

INHALATION:

Irritation (upper respiratory): signs/symptoms can include soreness  
of the nose and throat, coughing and sneezing.

IF SWALLOWED:

Ingestion may cause:

Irritation of Gastrointestinal Tissues: signs/symptoms can  
include pain, vomiting, abdominal tenderness, nausea, blood in  
vomit, and blood in feces.

-----  
SECTION CHANGE DATES  
-----

HEADING SECTION CHANGED SINCE February 24, 2000 ISSUE

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately  
-----

The information in this Material Safety Data Sheet (MSDS) is believed to  
be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR  
IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF  
MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF  
PERFORMANCE OR USAGE OF TRADE. User is responsible for determining  
whether the 3M product is fit for a particular purpose and suitable for  
user's method of use or application. Given the variety of factors that  
can affect the use and application of a 3M product, some of which are  
uniquely within the user's knowledge and control, it is essential that  
the user evaluate the 3M product to determine whether it is fit for a  
particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers.  
Due to the remote possibility that electronic transfer may have resulted  
in errors, omissions or alterations in this information, 3M makes no  
representations as to its completeness or accuracy. In addition,  
information obtained from a database may not be as current as the  
information in the MSDS available directly from 3M.